

L Number	Hits	Search Text	DB	Time stamp
-	14	((("5098633") or ("5085697") or ("5919834") or ("4929469") or ("6032576") or ("554684") or ("4253908") or ("5824395") or ("5043362") or ("4921740") or ("4636438") or ("4478977") or ("6125749") or ("4997687")).PN. HOOKER-Michael[in])	USPAT; EPO; JPO; DERWENT	2003/06/18 14:32
-	5440	(ILLINOIS with TOOL with WORKS)[as]	USPAT; EPO; JPO; DERWENT	2003/05/06 12:02
-	6808	((427/256) or (427/282) or (427/372.2) or (427/384) or (427/510) or (427/511) or (427/521) or (427/522) or (427/558) or (427/559)).CCLS.	USPAT; EPO; JPO; DERWENT	2003/05/06 12:04
-	956	((264/35) or (264/238)).CCLS.	USPAT; EPO; JPO; DERWENT	2003/05/06 12:04
-	2	((ILLINOIS with TOOL with WORKS)[as] and (((427/256) or (427/282) or (427/372.2) or (427/384) or (427/510) or (427/521) or (427/522) or (427/558) or (427/559)).CCLS.) or (427/558) or (427/559)).CCLS.)	USPAT; EPO; JPO; DERWENT	2003/05/06 12:05
-	812	((protective abrasion\$resist\$4) near3 coat\$3) and dot and (flexible flexibility bend bendable)	USPAT; EPO; JPO; DERWENT	2003/05/06 12:07
-	274	((protective abrasion\$resist\$4) near3 coat\$3) and dot and (flexible flexibility bend bendable)) and (cure cured curing)	USPAT; EPO; JPO; DERWENT	2003/05/06 12:07
-	5	((427/256) or (427/282) or (427/372.2) or (427/384) or (427/510) or (427/511) or (427/521) or (427/522) or (427/558) or (427/559)).CCLS.) and (((protective abrasion\$resist\$4) near3 coat\$3) and dot and (flexible flexibility bend bendable)) and (cure cured curing))	USPAT; EPO; JPO; DERWENT	2003/05/06 12:16
-	269	((protective abrasion\$resist\$4) near3 coat\$3) and dot and (flexible flexibility bend bendable)) and (cure cured curing) not (((427/256) or (427/282) or (427/372.2) or (427/384) or (427/510) or (427/511) or (427/521) or (427/522) or (427/558) or (427/559)).CCLS.) and (((protective abrasion\$resist\$4) near3 coat\$3) and dot and (flexible flexibility bend bendable)) and (cure cured curing)))	USPAT; EPO; JPO; DERWENT	2003/05/06 13:49
-	72	substrate same (flex flexible flexibility bend bendable bendability pliabile pliabil pliability) same dot same coat\$3	USPAT; EPO; JPO; DERWENT	2003/05/06 14:23
-	38	substrate same (flex flexible flexibility bend bendable bendability pliabile pliabil pliability) same dot same coating	USOCR	2003/05/06 14:30
-	1577	((in\$lmold in\$lmould) with decoration) or "IMD"	USPAT; EPO; JPO	2003/05/06 14:31
-	120	((in\$lmold in\$lmould) with decoration)	USPAT; EPO; JPO	2003/05/06 14:31
-	52	((protect\$4 near3 coating) same dot) and (flexible flexibility)	USPAT; EPO; JPO; DERWENT	2003/05/08 10:30
-	3409	((protect\$4 near3 coating) same (flexible flexural flexibility bend bendable pliabile pliabil pliability ductility))	USPAT; EPO; JPO; DERWENT	2003/05/08 10:32
-	2907	((protect\$4 near3 coating) same (flexible flexibility))	USPAT; EPO; JPO; DERWENT	2003/05/08 13:45

WPF 06/24/03

-	116	((protect\$4 near3 coating) same (flexible flexural flexibility bend bendable pliable pliant pliability ductility)) and (screen near3 print\$3)	USPAT; EPO; JPO; DERWENT USPAT;	2003/05/08 10:51
-	60	((protect\$4 near3 coating) same (flexible flexural flexibility bend bendable pliable pliant pliability ductility)) and (screen near3 print\$3) and (dot discrete distinct individual)	EPO; JPO; DERWENT USPAT;	2003/05/08 10:51
-	170	((protect\$4 near3 coating) same (flexible flexibility) same (pattern dot discrete individual isolated))	EPO; JPO; DERWENT USPAT;	2003/05/08 13:48
-	96	((protect\$4 near3 coating) same (flexible flexibility) same (pattern dot))	EPO; JPO; DERWENT USPAT;	2003/05/08 14:37
-	5040	((427/256) or (427/258) or (427/261) or (427/267) or (427/270) or (427/271) or (527/274) or (427/275) or (427/280) or (427/282)).CCLS.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:17
-	451	((427/256) or (427/258) or (427/261) or (427/267) or (427/270) or (427/271) or (527/274) or (427/275) or (427/280) or (427/282)).CCLS.) and (dot point mottle stipple) and (flex flexible flexibility bend bendable bendability ductile ductility)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/18 14:34
-	78	((427/256) or (427/258) or (427/261) or (427/267) or (427/270) or (427/271) or (527/274) or (427/275) or (427/280) or (427/282)).CCLS.) and (dot point mottle stipple) and (flex flexible flexibility bend bendable bendability ductile ductility) and ((protective protect protection) near3 coat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:00
-	2	5500956[pn] 5948707[pn]	USPAT	2003/06/19 11:15
-	15	"3953566" "3978259" "4098268" "4194041" "4443511" "4464431" "4692369" "4925732" "4989593" "5016622" "5026591" "5061555" "5102711" "5180632" "5397628").PN.	USPAT	2003/06/19 11:09
-	4	5948707.URPN.	USPAT	2003/06/19 11:09
-	20198	(protect\$3 near3 coat\$3) and (dot pattern discontinuous)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:16
-	4206	(protect\$3 near3 coat\$3) same (dot pattern discontinuous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:16
-	2048	(protect\$3 near3 coat\$3) with (dot pattern discontinuous)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/06/19 11:17
-	1872	(protect\$3 near3 coat\$3) with (dot pattern discontinuous)	USPAT; EPO; JPO; DERWENT	2003/06/19 11:28

-	10569	((427/256) or (427/258) or (427/261) or (427/267) or (427/270) or (427/271) or (527/274) or (427/275) or (427/280) or (427/282) or (427/372.2) or (427/384) or (427/510) or (427/511) or (427/521) or (427/522) or (427/558) or (427/595) or (264/35) or (264/238)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/06/19 11:28
-	55	((protect\$3 near3 coat\$3) with (dot pattern discontinuous)) and (((427/256) or (427/258) or (427/261) or (427/267) or (427/270) or (427/271) or (527/274) or (427/275) or (427/280) or (427/282) or (427/372.2) or (427/384) or (427/510) or (427/511) or (427/521) or (427/522) or (427/558) or (427/595) or (264/35) or (264/238)).CCLS.)	USPAT; EPO; JPO; DERWENT	2003/06/19 11:18
-	2319	((427/256) or (427/258) or (427/261) or (427/267) or (427/270) or (427/271) or (527/274) or (427/275) or (427/280) or (427/282) or (427/372.2) or (427/384) or (427/510) or (427/511) or (427/521) or (427/522) or (427/558) or (427/595) or (264/35) or (264/238)).CCLS.	USOCR	2003/06/19 11:28
-	229 16	((protect\$3 near3 coat\$3) with (dot pattern discontinuous)) (((427/256) or (427/258) or (427/261) or (427/267) or (427/270) or (427/271) or (527/274) or (427/275) or (427/280) or (427/282) or (427/372.2) or (427/384) or (427/510) or (427/511) or (427/521) or (427/522) or (427/558) or (427/595) or (264/35) or (264/238)).CCLS.)	USOCR USOCR	2003/06/19 11:28 2003/06/19 11:28
-	0	((427/2.24[cccls] 427/162[cccls] 427/164[cccls] 351/160R[cccls] 351/162[cccls] (dot pattern discontinuous)) (427/2.24[cccls] 427/162[cccls] 427/164[cccls] 351/160R[cccls] 351/162[cccls] with 351/177[cccls]) and (contact near3 lens) and (screen\$1print\$3)	USPAT; EPO; JPO; DERWENT	2003/06/19 12:29
-	13	(contact near3 lens) and (screen\$1print\$3)	USPAT; EPO; JPO; DERWENT	2003/06/19 12:25
-	147	(contact near3 lens) and (polyester with polycarbonate) and (flex\$4)	EPO; JPO; DERWENT	2003/06/19 12:30
-	6	((427/2.24[cccls] 427/162[cccls] 427/164[cccls] 351/160R[cccls] 351/162[cccls] 351/177[cccls]) and ((contact near3 lens) and (polyester with polycarbonate) and (flex\$4))	USPAT; EPO; JPO; DERWENT	2003/06/19 14:49
-	0	(contact near3 lens) and (polyester with polycarbonate with alloy) and (flex\$4)	USPAT; EPO; JPO; DERWENT	2003/06/19 12:30
-	1067	polyester with polycarbonate with alloy	USPAT; EPO; JPO; DERWENT	2003/06/19 12:30
-	18	(polyester with polycarbonate with alloy) and (contact near3 lens)	USPAT; EPO; JPO; DERWENT	2003/06/19 12:43
-	3	3679504[pn]	USPAT; EPO; JPO; DERWENT	2003/06/19 12:48
-	4	4405733[pn]	USPAT; EPO; JPO; DERWENT	2003/06/19 12:59
-	0	soft\$1cur\$3 and (contact near3 lens)	USPAT; EPO; JPO; DERWENT	2003/06/19 12:59
-	0	soft\$1cur\$3 and stipple	USPAT; EPO; JPO; DERWENT	2003/06/19 12:59

-	38	soft\$1cur\$3	USPAT; EPO; JPO; DERWENT	2003/06/19 13:02
-	63	stippi1\$3 with cur\$3	USPAT; EPO; JPO; DERWENT	2003/06/19 13:03
-	1	(stippi1\$3 with cur\$3) and (contact near3 lens)	USPAT; EPO; JPO; DERWENT	2003/06/19 13:05
-	0	(427/262[ccls] 427/267[ccls] 427/274[ccls] 427/280[ccls]) and (cur\$3 same stippi1\$3)	USPAT; EPO; JPO; DERWENT	2003/06/19 13:06
-	0	(427/262[ccls] 427/267[ccls] 427/274[ccls] 427/280[ccls]) and (cur\$3 same stippi1\$3)	USPAT; EPO; JPO; DERWENT	2003/06/19 13:07
-	10	(427/262[ccls] 427/267[ccls] 427/274[ccls] 427/280[ccls]) and (stippi1\$3)	USPAT; EPO; JPO; DERWENT	2003/06/19 13:18
-	5	(427/373[ccls] 427/377[ccls] 427/378[ccls]) and ((stippi1\$3 dot mottl1\$3) same cur\$3)	USPAT; EPO; JPO; DERWENT	2003/06/19 13:19
-	15	(427/2.24[ccls] 427/162[ccls] 427/164[ccls] 351/160R[ccls] 351/162[ccls] 351/177[ccls]) and ((contact near3 lens) same (mold mould) same print\$3)	USPAT; EPO; JPO; DERWENT	2003/06/19 15:21
-	27	(427/2.24[ccls] 427/162[ccls] 427/164[ccls] 351/160R[ccls] 351/162[ccls] 351/177[ccls]) and ((contact near3 lens) same (hydrophillic soft) same (flex\$4) same eye)	USPAT; EPO; JPO; DERWENT	2003/06/19 15:29